

Press Release for Pakedge K61U-A and K61-A Gateway Appliances

For Immediate Release

Date: November 18, 2013

Contact: Maureen Southern, 714-880-4593, maureen.southern@pakedge.com
Frank Doris / Media Relations, 631-645-5668, frankdoris@optonline.net

Pakedge Now Offers Its K61U-A & K61-A Gateway Appliances With Six Pre-Configured VLANs, TruStream™ Streaming Media Optimization & Additional Features

Foster City, CA – [Pakedge Device & Software](#) now offers its **K61U-A and K61-A** Gateway Appliances, incorporating a host of features that make them ideal for custom installation, smart home networking and security applications. Designed to be complete all-in-one wired networking solutions, the **K61U-A and K61-A** provide a host of useful features including six pre-configured VLANs, compatibility with Pakedge's BakPak™ mobile device control application, exclusive TruStream™ technology for best-quality streaming media performance and much more.

The **K61U-A** includes all the features of the **K61-A** with the addition of Pakedge's Unified Threat Management (UTM) network security feature.

Both models are designed to take the difficulty out of setting up a network. They feature six pre-configured VLANs, making it easier to segment a network, prioritize bandwidth and achieve optimum performance from even high-data-throughput devices like high-definition IP cameras, streaming audio/video components, game systems and other clients.

Both incorporate Pakedge's TruStream suite of features to provide best-quality streaming media performance. TruStream allows the **K61U-A and K61-A** to recognize and categorize network traffic and ensure that high-priority traffic like streaming video, music or VoIP is given precedence. TruStream avoids interference or high latency, which can cause buffering, lag or even complete interruption of streaming playback.

The **K61U-A and K61-A** are both designed to operate in conjunction with Pakedge's BakPak app, which enables an Apple® iPad®, iPhone™, Android device or web browser to configure Pakedge products, monitor Pakedge and other manufacturers' devices, control system-wide power and enable automatic system status notifications all via the cloud.

The **K61U-A and K61-A** are certified to meet Pakedge Control and Automation Systems Compatible (CASC) standards, to ensure compatibility with leading control and automation systems from companies including Crestron®, AMX®, Savant® and Control4® over a TCP/IP network. This allows seamless integration as well as power cycling and control from CASC-certified devices.

Available on the **K61U-A**, Pakedge's exclusive Unified Threat Management (UTM) feature provides extremely high parental and security protection by blocking viruses, questionable websites and other unwanted content at the gateway before it can get past the firewall. Offering three levels of user access, UTM blocks unwanted website groups for the entire home and blocks selected devices from questionable websites.

The **K61U-A and K61-A** offer a host of additional advanced features such as Network Bonding, which allows multicasting over VLAN rather than complete separation of VLANs, which ensures quality playback from any device, anywhere on a network. Like all Pakedge products, both models are designed for ease of installation and enterprise-quality reliability.

The Pakedge **K61U-A and K61** Gateway Appliances are currently available. Contact sales@pakedge.com for pricing.

COMPANY PROFILE:

Pakedge Device & Software creates innovative networking products for people who demand performance, features, and reliability. Our products use the most advanced wireless and networking technology. They are designed for professionals to install and consumers to enjoy. For more information and system specifications, visit www.pakedge.com.



Pakedge K61U-A preconfigured gateway security appliance

K61U-A and K61-A KEY FEATURES

- Designed specifically for custom-installation and media streaming applications
- Six pre-configured VLANs
- TruStream™ feature suite provides best-quality streaming media performance
- Integrates with the Pakedge BakPak cloud-integrated mobile and web app that enables reporting and maintenance to be done from anywhere
- Pakedge Control and Automation Systems Compatible (CASC)-certified
- **K61U-A** includes Unified Threat Management (UTM) security protection
- Network Bonding technology allows multicasting over VLANs to ensure best streaming media performance at all times

- Two USB client/server interfaces
- 10/100/1000 Mbps throughput
- 1U rack-mount high
- Easy installation and configuration
- Dimensions: 1.5" H x 19" W x 10.5" D
- Weight: 12 lb.

#